

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29540	(707/4,6,104.1, 103R;709/201-202,223-226, 232-236,246,332;719/332,310, 316,318;717/100-109,140,148). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:17
L2	22864	(@ad<="20020110" or @rlad<="20020110") and (1 or (705/7).ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:19
L3	10	2 and ((xml and schema) same input) and ((UML "Rationale Rose" "Use Case") or (model and (Case adj tool)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:26
L4	9	3 and (xml with input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:27
L5	3	3 not (generat\$5 near10 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:27
S3	1	(@ad<="20020110" or @rlad<="20020110") and S2 and (COM same (model\$5 definition)) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 14:59
S10	22	(@ad<="20020110" or @rlad<="20020110") and S9 and (xml same schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S34	7	(xml with ((first input) adj (program model "use case"))) same (xml with ((target second) adj (program model "use case")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:53
S35	2	(@ad<="20020110" or @rlad<="20020110") and S34 and (xml same schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:53
S36	9	(schema with ((first input) adj (program model "use case"))) same (schema with ((target second) adj (program model "use case")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:53
S37	2	(@ad<="20020110" or @rlad<="20020110") and S36 and (xml same schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:00
S38	4	S35 or S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:56
S39	0	((several multiple plurality) near4 (user developer)) same ((simultan\$6 concurrent\$5) with (modif\$5 extend\$4 add\$4 updat\$4) with ((xml schema) near8 (dom tree model)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:00
S40	4	((several multiple plurality) near4 (user developer)) same ((simultan\$6 concurrent\$5) with (modif\$5 extend\$4 add\$4 updat\$4) with ((xml schema node tag cell) near8 (dom tree model)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:00
S41	3	(@ad<="20020110" or @rlad<="20020110") and S40 and (framework distributed database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:20
S42	1	UML and ((concurrent near3 modification) same (model schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:04

S43	127	(xml schema) and (concurrent\$4 near4 (developer user)) and ((updat\$4 generat\$5 build\$5 model\$4) near6 (database model schema tree)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:06
S44	59	(xml schema) and (concurrent\$4 near4 (developer user)) and ((updat\$4 generat\$5 build\$5 model\$4) near6 (database model schema tree)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:06
S45	10	(S43 or S44) and xml and ("rationale rose" UML (Unified adj model) (Case adj tool) "use case")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:08
S46	6	(@ad<="20020110" or @rlad<="20020110") and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:19
S47	18	(xml same ((UML model) and (node "use case"))) and (schema same UML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:56
S48	5	(@ad<="20020110" or @rlad<="20020110") and S47 and (framework distributed database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:55
S49	0	(@ad<="20020110" or @rlad<="20020110") and S47 not S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:21

S50	32	(US-20020004815-\$ or US-20020059425-\$ or US-20020091702-\$ or US-20020128890-\$ or US-20030023953-\$ or US-20030061081-\$ or US-20030093471-\$ or US-20030149799-\$ or US-20030172368-\$ or US-20040083463-\$ or US-20030177481-\$ or US-20030167456-\$ or US-20030069871-\$ or US-20050234902-\$ or US-20030083910-\$ or US-20030120651-\$).did. or (US-5872973-\$ or US-5911066-\$ or US-5920718-\$ or US-5978579-\$ or US-6014666-\$ or US-6035119-\$ or US-6059838-\$ or US-6093215-\$ or US-6125391-\$ or US-6549949-\$ or US-6615199-\$ or US-6640249-\$ or US-6539396-\$ or US-6529948-\$ or US-6826568-\$).did. or (WO-200177822-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/01/27 16:55
S51	22	S50 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:56
S52	3	S51 and (xml same ((UML model) and (node "use case"))) and (schema same UML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:56

S53	32	(US-20020004815-\$ or US-20020059425-\$ or US-20020091702-\$ or US-20020128890-\$ or US-20030023953-\$ or US-20030061081-\$ or US-20030069871-\$ or US-20030083910-\$ or US-20030093471-\$ or US-20030120651-\$ or US-20030149799-\$ or US-20030167456-\$ or US-20030172368-\$ or US-20030177481-\$ or US-20040083463-\$ or US-20050234902-\$).did. or (US-5872973-\$ or US-5911066-\$ or US-5920718-\$ or US-5978579-\$ or US-6014666-\$ or US-6035119-\$ or US-6059838-\$ or US-6093215-\$ or US-6125391-\$ or US-6529948-\$ or US-6539396-\$ or US-6549949-\$ or US-6615199-\$ or US-6640249-\$ or US-6826568-\$).did. or (WO-200177822-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/01/28 14:57
S54	47	((("use case" template workflow) and model) same ((first and second) near9 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 14:59
S55	636	(@ad<="20020110" or @rlad<="20020110") and schema and ((framework casetool UML GUI) same (model\$5 definition)) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:06
S56	3	S54 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:05
S57	40	Schreiber.in. and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:05
S58	21	(@ad<="20020110" or @rlad<="20020110") and S57 and model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:22

S59	1	(@ad<="20020110") and S57 and model and ((user client) near8 (specification specify specified customi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:42
S60	23	(incorporat\$5 near8 ((client developer user) near3 (xml specification))) same (model tree template structure view namespace)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:40
S61	5	S60 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:40
S62	7	(@ad<="20020110") and S60 and model and ((user client) near8 (specification specify specified customi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:45
S63	2	S62 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:46
S64	50	((input source) near3 xml) same model same ((output target) near2 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:05
S65	3	S55 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:57
S66	5	(Peterson and Hedman).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:58
S67	0	S66 and (xml markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 15:58
S68	0	S66 and (schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:03

S69	1658	("Rationale Rose" UML model) and ((xml markup) near9 (specification "use case" scenario))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:04
S70	38	((input source initial) near3 xml) same (incorporat\$5 integrat\$5) same ((output target final) near2 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:05
S71	55	((input source initial) near3 (xml schema)) same (incorporat\$5 integrat\$5) same ((output target final) near2 (xml schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:05
S72	2	(S70 or S71) and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:06
S73	7	(@ad<="20020110" or @rlad<="20020110") and S71 and ((integrat\$4 incorporat\$4 populat\$4) with (SOM model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:00
S74	2	"20030179228".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 16:57
S75	18	(xml near9 ((application specification) (software requirement)) same ("use case" UML)) and (integrat\$6 same model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:00
S76	8	(@ad<="20020110" or @rlad<="20020110") and S75 and ((integrat\$4 incorporat\$4 populat\$4) with (SOM model tree structure view))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:08
S77	110	((source input) near5 (schema xml)) and ((conver\$5 generat\$5 deriv\$4 translat\$4) adj2 (output near2 xml))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:08
S78	43	(@ad<="20020110" or @rlad<="20020110") and S77 and ((integrat\$4 incorporat\$4 populat\$4 build\$4) with (SOM model tree structure view))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:26

S79	10	S78 and ((incorporat\$4 integrat\$4 add\$4 enlist\$4) near8 (view model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:10
S80	42984	(717/100,106-109;709/201-203, 217,223-236,246;707/1,9,6,103R, 104.1,203;719/332,310).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:22
S81	0	S80 and (((input adj2 (xml schema)) near9 model) same (translat\$4 near9 format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:24
S82	0	S80 and ((input adj2 (xml schema)) same (translat\$4 near9 format)) and UML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:25
S83	0	S80 and ((input adj2 (xml schema)) same (translat\$4 near9 form)) and UML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:25
S84	0	S80 and ((input adj2 (xml schema)) same (translat\$4 near9 second)) and UML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:25
S85	0	S80 and ((input near4 (xml schema)) same (translat\$4 near9 second)) and UML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:25
S86	5	S80 and ((input specification) near4 xml) same UML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:26
S87	4	(@ad<="20020110" or @rlad<="20020110") and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 17:26